



ATTACHMENT A

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

1-10. (Canceled).

11. (Currently amended) An extrudable material suitable for making thin films into a tube surrounding a bundle of optical fibers, said material including:

a thermoplastic polymer phase containing at least one thermoplastic olefin polymer selected from the group consisting of:

- PE: polyethylenes;
- PP: polypropylenes;
- EPR: ethylene propylene rubber;
- EPDM: ethylene propylene diene monomer;
- EVA: copolymers of ethylene and lower alkyl acetates ;
- EBA: copolymers of ethylene and lower alkyl acrylates;
- EEA: ethylene ethyl acrylate;
- EMA: ethylene methyl acrylate;
- VLDPE: very low density polyethylene;
- acrylic acid or maleic anhydride grafted polymers;
- PVC: polyvinyl chloride;
- mixtures and copolymers thereof, and

a content filler lying in the range 25% to 65% by weight of the composition,

said material having tensile strength lying in the range 6 MPa to 20 MPa and an amount of extension at breakage lying in the range 50% to 300% and a hardness lying in the range 35 to 55 on the Shore D.

12. (Canceled).

13. (Canceled).

14. (Previously presented) A material according to claim 11, wherein the filler is selected from the group constituted by hydrated or non hydrated alumina, chalk, kaolin, talc, silicon, magnesium hydroxide, and mixtures thereof.

15. (Previously presented) A material according to claim 11, wherein :

the thermoplastic olefin polymer is an ethylene copolymer selected from the group consisting of copolymers of ethylene and lower alkyl acetates having no more than 30% vinyl acetate comonomer, EBA, ethylene ethyl acrylate, ethylene methyl acrylate and mixtures thereof, and

said thermoplastic polymer phase further comprises at least one polymer selected from the group consisting of polyethylene; polypropylene; ethylene propylene rubber; ethylene propylene diene monomer; very low density polyethylene (VDPE); acrylic acid or maleic anhydride grafted polymers; and polyvinyl chloride.

16. (Canceled).

17. (Previously presented) A material according to claim 15, comprising, in addition to a minor amount of lubricant and additives:

- 50 parts of said polyethylene having specific gravity of 0.92 and a melt flow index at 190° under 21.6 N of 1.8 g/10 min;
- 50 parts EVA copolymer containing 18% vinyl acetate; and
- 130 parts calcium carbonate.

18. (Currently amended) An extrudable material suitable for making thin films, the material including:

a thermoplastic polymer phase containing at least one ethylene copolymer selected from the group consisting of ethylene - lower alkyl acetate copolymer, ethylene - lower alkyl acrylate copolymer, and mixtures thereof, and said thermoplastic polymer phase further comprises at least one polymer selected from the group consisting of polyethylene; ethylene propylene rubber; ethylene propylene diene monomer; very low density polyethylene (VDPE); acrylic acid or maleic anhydride grafted polymers; polyvinyl chloride; and mixtures thereof

a content of filler lying in the range 25% to 65% by weight of the composition,
said material having a tensile strength lying in the range 6 MPa to 20 MPa, ~~and~~ an amount of extension at breakage lying in the range 50% to 300% and a hardness lying in the range 35 to 55 on the Shore D.

19. (Canceled).
20. (Canceled).
21. (Canceled).